



		Second focal plane reticle scopes																					
製品名		D48F52	D60EV52	D4V24IML	D4.5V24TI	D10V24	D10V24M	D10V24T	D10V24TM	D10V24TI	D10V24TML	D10V24TML	D25V42	D25V42M	D25V42T	D25V42TM	D25V42TI	D25V42TML	D25V42TML	D25V52T	D25V52TM	D25V52TI	
		48x52	40x-60x52	1x-4x24	1x-4.5x24	1x-10x24	1x-10x24	1x-10x24	1x-10x24	1x-10x24	1x-10x24	1x-10x24	2.5x-25x42	2.5x-25x42	2.5x-25x42	2.5x-25x42	2.5x-25x42	2.5x-25x42	2.5x-25x42	2.5x-25x52	2.5x-25x52	2.5x-25x52	
倍率	(低倍)	48x	40x	1x	1x	1x	1x	1x	1x	1x	1x	1x	2.5x	2.5x	2.5x	2.5x	2.5x	2.5x	2.5x	2.5x	2.5x	2.5x	
	(高倍)		60x	4x	4.5x	10x	10x	10x	10x	10x	10x	10x	25x	25x	25x	25x	25x	25x	25x	25x	25x	25x	
対物有効径		52mm	52mm	24mm	24mm	24mm	24mm	24mm	24mm	24mm	24mm	24mm	42mm	42mm	42mm	42mm	42mm	42mm	42mm	52mm	52mm	52mm	
ボデーチューブ径		30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	
ひとみ径	(低倍)	-	1.24mm	17.8mm	16mm	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	(高倍)	1.08mm	0.89mm	6mm	5.33mm	2.4mm	2.4mm	2.4mm	2.4mm	2.4mm	2.4mm	2.4mm	1.68mm	1.68mm	1.68mm	1.68mm	1.68mm	1.68mm	1.68mm	2.08mm	2.08mm	2.08mm	
実視界	(低倍)	0.52°	0.49°	19.0°	19.0°	20.0°	20.0°	20.0°	20.0°	20.0°	20.0°	20.0°	8.0°	8.0°	8.0°	8.0°	8.0°	8.0°	8.0°	8.0°	8.0°	8.0°	
	at100Yd	2.7 ft	2.6 ft	100.4 ft	100.4 ft	105.8 ft	105.8 ft	105.8 ft	105.8 ft	105.8 ft	105.8 ft	105.8 ft	42.0 ft	42.0 ft	42.0 ft	42.0 ft	42.0 ft	42.0 ft	42.0 ft	42.0 ft	42.0 ft	42.0 ft	
	at 100m	0.90 m	0.85 m	33.47 m	33.47 m	35.27 m	35.27 m	35.27 m	35.27 m	35.27 m	35.27 m	35.27 m	13.99 m	13.99 m	13.99 m	13.99 m	13.99 m	13.99 m	13.99 m	13.99 m	13.99 m	13.99 m	
	(高倍)		0.44°	4.7°	4.22°	2.0°	2.0°	2.0°	2.0°	2.0°	2.0°	2.0°	0.8°	0.8°	0.8°	0.8°	0.8°	0.8°	0.8°	0.8°	0.8°	0.8°	
	at100Yd		2.5 ft	24.9 ft	22.1 ft	10.5 ft	10.5 ft	10.5 ft	10.5 ft	10.5 ft	10.5 ft	4.2 ft	4.2 ft	4.2 ft	4.2 ft	4.2 ft	4.2 ft	4.2 ft	4.2 ft	4.2 ft	4.2 ft	4.2 ft	
	at 100m		0.77 m	8.20 m	7.37 m	3.49 m	3.49 m	3.49 m	3.49 m	3.49 m	3.49 m	1.40 m	1.40 m	1.40 m	1.40 m	1.40 m	1.40 m	1.40 m	1.40 m	1.40 m	1.40 m	1.40 m	
ひとみ位置	(低倍)	66-81mm	71-89mm	64-94mm	73-103mm	86-98mm	86-98mm	86-98mm	86-98mm	86-98mm	86-98mm	86-98mm	85-100mm	85-100mm	85-100mm	85-100mm	85-100mm	85-100mm	85-100mm	85-100mm	85-100mm	85-100mm	
	(高倍)		59-72mm	61-94mm	73-100mm	86-96mm	86-96mm	86-96mm	86-96mm	86-96mm	86-96mm	86-96mm	89-96mm	89-96mm	89-96mm	89-96mm	89-96mm	89-96mm	89-96mm	89-96mm	89-96mm	89-96mm	
1クリック調整量		1/8MOA	1/8MOA	0.1MIL	1/4MOA	1/4MOA	1/4MOA	1/4MOA	1/4MOA	1/4MOA	0.1MIL	0.1MIL	1/4MOA	1/4MOA	1/4MOA	1/4MOA	1/4MOA	1/4MOA	0.1MIL	0.1MIL	1/4MOA	1/4MOA	
上下調整		60MOA	60MOA	56MIL	200MOA	200MOA	200MOA	200MOA	200MOA	200MOA	56MIL	56MIL	100MOA	100MOA	100MOA	100MOA	100MOA	100MOA	28MIL	28MIL	120MOA	120MOA	
風損調整		60MOA	60MOA	56MIL	200MOA	200MOA	200MOA	200MOA	200MOA	200MOA	56MIL	56MIL	100MOA	100MOA	100MOA	100MOA	100MOA	100MOA	28MIL	28MIL	60MOA	60MOA	
焦点調整方式		Side focus	Side focus	-	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	
至近距離		10YD-∞	10YD-∞	100YD固定	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	
レチクル		SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	
		CH 1/8dot 3/32dot 1/16dot LR	CH 1/8dot 3/32dot 1/16dot LR	FD-1	MTR-D2	CH Di-plex	MTR-1 MTR-2 MTR-3 MTR-4	CH Di-plex	MTR-1 MTR-2 MTR-3 MTR-4	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5	MML	MML	CH 1/4dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	CH 1/4dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5 MTR-FT	MML	MML	CH 1/4dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5 MTR-FT	
レチクル照明装置		×	×	○	○	×	×	×	×	○	×	○	×	×	×	×	○	×	○	×	×	○	
調整ダイヤルキャップ		○	○	○	×	○	○	×	×	×	×	×	○	○	×	×	×	×	×	×	×	×	
調整ダイヤル		Normal	Normal	Normal	Tactical	Normal	Normal	Tactical	Tactical	Tactical	Tactical	Tactical	Normal	Normal	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	
0セット調整		×	×	×	○	×	×	○	○	○	○	○	×	×	○	○	○	○	○	○	○	○	
MDディスク		○	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	△	△	△	
フード		△	△	×	×	×	×	×	×	×	×	×	△	△	○	○	○	○	○	○	○	○	
接眼・対物革キャップ		○	○	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	
接眼・対物フリップキャップ		△	△	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
スコープ寸法 	A	370mm	374-397mm	258mm	260mm	262mm	264mm	262mm	264mm	264mm	264mm	264mm	312mm	314mm	312mm	314mm	314mm	314mm	314mm	336mm	338mm	338mm	
	B	177mm	162mm	129mm	131mm	135mm	135mm	135mm	135mm	135mm	135mm	135mm	139mm	139mm	139mm	139mm	139mm	139mm	139mm	139mm	139mm	139mm	
	C	60mm	60mm	33mm	33mm	33mm	33mm	33mm	33mm	33mm	33mm	33mm	51mm	51mm	51mm	51mm	51mm	51mm	51mm	51mm	60mm	60mm	60mm
	D	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm
	E	126mm	126mm	35mm	35mm	35mm	35mm	35mm	35mm	35mm	35mm	35mm	81mm	81mm	81mm	81mm	81mm	81mm	81mm	81mm	105mm	105mm	105mm
	F	67mm	86-109mm	94mm	94mm	92mm	94mm	92mm	94mm	94mm	94mm	94mm	92mm	94mm	92mm	94mm	94mm	94mm	94mm	94mm	92mm	94mm	94mm
	G	70mm	70mm	49mm	49mm	49mm	49mm	49mm	49mm	49mm	49mm	49mm	53mm	53mm	53mm	53mm	53mm	53mm	53mm	53mm	53mm	53mm	53mm
	H	70mm	55mm	42mm	46mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm
重量		645 g	690 g	520 g	530 g	520 g	530 g	530 g	530 g	560 g	530 g	560 g	610 g	620 g	620 g	620 g	620 g	650 g	620 g	665 g	665 g	695 g	
標準小売価格 (税込価格)		¥205,600	¥246,700	¥166,300	¥213,800	¥164,400	¥185,100	¥174,500	¥195,300	¥226,200	¥195,300	¥226,200	¥185,100	¥205,600	¥195,300	¥216,000	¥257,000	¥216,000	¥257,000	¥226,200	¥246,700	¥287,900	

○印: 標準装備
 △印: オプション装備
 ×印: 装備不可
 すべてのスコープはアルゴンガスが封入されています。

		Second focal plane reticle scopes																				
製品名		D25V52TML	D25V52TML	D32V52L	D32V52LM	D32V52T	D32V52TM	D32V52TI	D60V52L	D60V52LM	D60V52T	D60V52TM	D60V52TI	D60HV56T	D60HV56TM	D60HV56TI	D50V56T	D50V56TM	D50V56TI	D80V56T	D80V56TM	D80V56TI
		2.5x-25x52	2.5x-25x52	5x-32x52	5x-32x52	5x-32x52	5x-32x52	5x-32x52	10x-60x52	10x-60x52	10x-60x52	10x-60x52	10x-60x52	10x-60x56	10x-60x56	10x-60x56	5x-50X56	5x-50X56	5x-50X56	8x-80X56	8x-80X56	8x-80X56
倍率	(低倍)	2.5x	2.5x	5x	5x	5x	5x	5x	10x	10x	10x	10x	10x	10x	10x	10x	5x	5x	5x	8x	8x	8x
	(高倍)	25x	25x	32x	32x	32x	32x	32x	60x	60x	60x	60x	60x	60x	60x	60x	50x	50x	50x	80x	80x	80x
対物有効径		52mm	52mm	52mm	52mm	52mm	52mm	52mm	52mm	52mm	52mm	52mm	52mm	56mm	56mm	56mm	56mm	56mm	56mm	56mm	56mm	56mm
ボデーチューブ径		30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	34mm	34mm	34mm	34mm	34mm	34mm	34mm	34mm	34mm
ひとみ径	(低倍)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	(高倍)	2.08mm	2.08mm	1.625mm	1.625mm	1.625mm	1.625mm	1.625mm	0.86mm	0.86mm	0.86mm	0.86mm	0.86mm	0.94mm	0.94mm	0.94mm	1.12mm	1.12mm	1.12mm	0.7mm	0.7mm	0.7mm
実視界	(低倍)	8.0°	8.0°	4.0°	4.0°	4.0°	4.0°	4.0°	2.0°	2.0°	2.0°	2.0°	2.0°	1.9°	1.9°	1.9°	4.0°	4.0°	4.0°	2.5°	2.5°	2.5°
	at100Yd	42.0 ft	42.0 ft	21.0 ft	21.0 ft	21.0 ft	21.0 ft	21.0 ft	10.5 ft	10.5 ft	10.5 ft	10.5 ft	10.5 ft	10.2 ft	10.2 ft	10.2 ft	21.0 ft	21.0 ft	21.0 ft	13.2 ft	13.2 ft	13.2 ft
	at 100m	13.99 m	13.99 m	6.98 m	6.98 m	6.98 m	6.98 m	6.98 m	3.49 m	3.49 m	3.49 m	3.49 m	3.49 m	3.40 m	3.40 m	3.40 m	6.98 m	6.98 m	6.98 m	4.36 m	4.36 m	4.36 m
	(高倍)	0.8°	0.8°	0.625°	0.625°	0.625°	0.625°	0.625°	0.333°	0.333°	0.333°	0.333°	0.333°	0.32°	0.32°	0.32°	0.4°	0.4°	0.4°	0.25°	0.25°	0.25°
at100Yd	4.2 ft	4.2 ft	3.3 ft	3.3 ft	3.3 ft	3.3 ft	3.3 ft	1.7 ft	1.7 ft	1.7 ft	1.7 ft	1.7 ft	1.7 ft	1.7 ft	1.7 ft	2.1 ft	2.1 ft	2.1 ft	1.3 ft	1.3 ft	1.3 ft	
at 100m	1.40 m	1.40 m	1.09 m	1.09 m	1.09 m	1.09 m	1.09 m	0.58 m	0.58 m	0.58 m	0.58 m	0.58 m	0.57 m	0.57 m	0.57 m	0.70 m	0.70 m	0.70 m	0.44 m	0.44 m	0.44 m	
ひとみ位置	(低倍)	85-100mm	85-100mm	86-97mm	86-97mm	86-97mm	86-97mm	86-97mm	88-99mm	88-99mm	88-99mm	88-99mm	88-99mm	80-107mm	80-107mm	80-107mm	96-101mm	96-101mm	96-101mm	89-95mm	89-95mm	89-95mm
	(高倍)	89-96mm	89-96mm	91-97mm	91-97mm	91-97mm	91-97mm	91-97mm	95-101mm	95-101mm	95-101mm	95-101mm	95-101mm	92-102mm	92-102mm	92-102mm	92-98mm	92-98mm	92-98mm	83-97mm	83-97mm	83-97mm
1クリック調整量		0.1MIL	0.1MIL	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA	1/8MOA
上下調整		34MIL	34MIL	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA	60MOA
風損調整		17MIL	17MIL	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA	40MOA
焦点調整方式		Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus
至近距離		10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞
レチクル	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP	SFP
	MML	MML	CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5 MTR-FT	CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5 MTR-FT	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5 MTR-FT	CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5 MTR-FT	CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5 MTR-FT	CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5 MTR-FT	CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5 MTR-FT	CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5 MTR-FT
レチクル照明装置		×	○	×	×	×	×	○	×	×	×	×	○	×	×	○	×	×	○	×	×	○
調整ダイヤルキャップ		×	×	○	○	×	×	×	○	○	×	×	×	×	×	×	×	×	×	×	×	×
調整ダイヤル		Tactical	Tactical	Normal	Normal	Tactical	Tactical	Tactical	Normal	Normal	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical
0セット調整		○	○	×	×	○	○	○	×	×	○	○	○	○	○	○	○	○	○	○	○	○
MDディスク		△	△	○	○	○	○	○	○	○	○	○	○	○	○	○	△	△	△	△	△	△
フード		○	○	△	△	○	○	○	△	△	○	○	○	○	○	○	○	○	○	○	○	○
接眼・対物革キャップ		△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△
接眼・対物フリップキャップ		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
スコープ寸法 	A	338mm	338mm	407mm	409mm	407mm	409mm	409mm	418mm	420mm	418mm	420mm	420mm	411mm	413mm	413mm	398mm	400mm	400mm	407mm	409mm	409mm
	B	139mm	139mm	173mm	173mm	173mm	173mm	173mm	173mm	173mm	173mm	173mm	173mm	180mm	180mm	180mm	166mm	166mm	166mm	175mm	175mm	175mm
	C	60mm	60mm	60mm	60mm	60mm	60mm	60mm	60mm	60mm	60mm	60mm	60mm	64mm	64mm	64mm	64mm	64mm	64mm	64mm	64mm	64mm
	D	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm
	E	105mm	105mm	142mm	142mm	142mm	142mm	142mm	142mm	142mm	142mm	142mm	142mm	142mm	134mm	134mm	134mm	144mm	144mm	144mm	144mm	144mm
	F	94mm	94mm	92mm	94mm	92mm	94mm	94mm	103mm	105mm	103mm	105mm	105mm	97mm	99mm	99mm	88mm	90mm	90mm	88mm	90mm	90mm
	G	53mm	53mm	79mm	79mm	79mm	79mm	79mm	79mm	79mm	79mm	79mm	79mm	79mm	81mm	81mm	81mm	79mm	79mm	79mm	79mm	79mm
	H	48mm	48mm	57mm	57mm	57mm	57mm	57mm	57mm	57mm	57mm	57mm	57mm	57mm	63mm	63mm	63mm	51mm	51mm	51mm	60mm	60mm
重量		665 g	695 g	670 g	680 g	690 g	700 g	730 g	700 g	710 g	720 g	730 g	760 g	925 g	930 g	960 g	830 g	840 g	870 g	845 g	855 g	885 g
標準小売価格 (税込価格)		¥246,700	¥287,900	¥246,700	¥267,400	¥257,000	¥277,600	¥308,500	¥246,700	¥267,400	¥257,000	¥277,600	¥308,500	¥280,800	¥291,600	¥321,800	¥277,600	¥287,900	¥308,500	¥287,900	¥298,100	¥318,800

○印: 標準装備
△印: オプション装備
×印: 装備不可

		First focal plane reticle scopes																		
製品名		D8SV24FIML	D8V24FIML	D8V24FIML	D24V42FIML	D24V42FIML	D24V42FIMA	D24V42FIMA	D24V52FIML	D24V52FIML	D24V52FIMA	D24V52FIMA	D40V56FIML	D40V56FIML	D40V56FIML10	D40V56FIML10	D40V56FIMA4	D40V56FIMA4	D40V56FIMA8	D40V56FIMA8
		1x-8x24 Shorty	1x-8x24	1x-8x24	3x-24x42	3x-24x42	3x-24x42	3x-24x42	3x-24x52	3x-24x52	3x-24x52	3x-24x52	5x-40x56	5x-40x56	5x-40x56	5x-40x56	5x-40x56	5x-40x56	5x-40x56	5x-40x56
倍率	(低倍)	1x	1x	1x	3x	3x	3x	3x	3x	3x	3x	3x	5x	5x	5x	5x	5x	5x	5x	5x
	(高倍)	8x	8x	8x	24x	24x	24x	24x	24x	24x	24x	24x	40x	40x	40x	40x	40x	40x	40x	40x
対物有効径		24mm	24mm	24mm	42mm	42mm	42mm	42mm	52mm	52mm	52mm	52mm	56mm	56mm	56mm	56mm	56mm	56mm	56mm	56mm
ボデーチューブ径		30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	34mm	34mm	34mm	34mm	34mm	34mm	34mm	34mm
ひとみ径	(低倍)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	(高倍)	3mm	3mm	3mm	1.75mm	1.75mm	1.75mm	1.75mm	2.17mm	2.17mm	2.17mm	2.17mm	1.4mm	1.4mm	1.4mm	1.4mm	1.4mm	1.4mm	1.4mm	1.4mm
実視界	(低倍)	20.0°	20.0°	20.0°	6.67°	6.67°	6.67°	6.67°	6.67°	6.67°	6.67°	6.67°	4°	4°	4°	4°	4°	4°	4°	4°
	at100Yd	105.8 ft	105.8 ft	105.8 ft	35.0 ft	35.0 ft	35.0 ft	35.0 ft	35.0 ft	35.0 ft	35.0 ft	35.0 ft	21.0 ft	21.0 ft	21.0 ft	21.0 ft	21.0 ft	21.0 ft	21.0 ft	21.0 ft
	at 100m	35.27 m	35.27 m	35.27 m	11.66 m	11.66 m	11.66 m	11.66 m	11.66 m	11.66 m	11.66 m	11.66 m	6.98 m	6.98 m	6.98 m	6.98 m	6.98 m	6.98 m	6.98 m	6.98 m
	(高倍)	2.5	2.5	2.5	0.83°	0.83°	0.83°	0.83°	0.83°	0.83°	0.83°	0.83°	0.5°	0.5°	0.5°	0.5°	0.5°	0.5°	0.5°	0.5°
at100Yd	13.2 ft	13.2 ft	13.2 ft	4.3 ft	4.3 ft	4.3 ft	4.3 ft	4.3 ft	4.3 ft	4.3 ft	4.3 ft	2.6 ft	2.6 ft	2.6 ft	2.6 ft	2.6 ft	2.6 ft	2.6 ft	2.6 ft	
at 100m	4.36 m	4.36 m	4.36 m	1.45 m	1.45 m	1.45 m	1.45 m	1.45 m	1.45 m	1.45 m	1.45 m	0.87 m	0.87 m	0.87 m	0.87 m	0.87 m	0.87 m	0.87 m	0.87 m	
ひとみ位置	(低倍)	86-98mm	86-98mm	86-98mm	85-100mm	85-100mm	85-100mm	85-100mm	85-100mm	85-100mm	85-100mm	85-100mm	96-100mm	96-100mm	96-100mm	96-100mm	96-100mm	96-100mm	96-100mm	96-100mm
	(高倍)	86-96mm	86-96mm	86-96mm	89-96mm	89-96mm	89-96mm	89-96mm	89-96mm	89-96mm	89-96mm	89-96mm	92-98mm	92-98mm	92-98mm	92-98mm	92-98mm	92-98mm	92-98mm	92-98mm
1クリック調整量		0.1MIL	0.1MIL	0.1MIL	0.1MIL	0.1MIL	1/4MOA	1/4MOA	0.1MIL	0.1MIL	1/4MOA	1/4MOA	0.05MIL	0.05MIL	0.1MIL	0.1MIL	1/4MOA	1/4MOA	1/8MOA	1/8MOA
上下調整		56MIL	56MIL	56MIL	28MIL	28MIL	100MOA	100MOA	34MIL	34MIL	120MOA	120MOA	24MIL	24MIL	24MIL	24MIL	66MOA	66MOA	66MOA	66MOA
風損調整		56MIL	56MIL	56MIL	28MIL	28MIL	100MOA	100MOA	17MIL	17MIL	60MOA	60MOA	12MIL	12MIL	12MIL	12MIL	38MOA	38MOA	38MOA	38MOA
焦点調整方式		-	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus	Side focus
至近距離		100YD	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞	10YD-∞
レチクル		FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP	FFP
		FMC-1 FMC-2 FMC-3	FMC-1 FMC-2 FMC-3	FMC-1 FMC-2 FMC-3	FML FML-1 FML-MB	FML FML-1 FML-MB	FMA-2	FMA-1	FML FML-1 FML-MB	FML FML-1 FML-MB	FMA-2	FMA-1	FML-1	FML-1	FML-1	FML-1	FMA-2	FMA-1	FMA-2	FMA-1
レチクル照明装置		○	×	○	×	○	×	○	×	○	×	○	×	○	×	○	×	○	×	○
調整ダイヤルキャップ		×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
調整ダイヤル		Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical
0セット調整		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
MDディスク		×	×	×	×	×	×	×	△	△	△	△	△	△	△	△	△	△	△	△
フード		×	×	×	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
接眼・対物革キャップ		△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△
接眼・対物フリップキャップ		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
スコープ寸法	A	212mm	258mm	258mm	312mm	312mm	312mm	312mm	336mm	336mm	336mm	336mm	387mm	387mm	387mm	387mm	387mm	387mm	387mm	387mm
	B	83mm	129mm	129mm	139mm	139mm	139mm	139mm	139mm	139mm	139mm	139mm	155mm	155mm	155mm	155mm	155mm	155mm	155mm	155mm
	C	33mm	33mm	33mm	51mm	51mm	51mm	51mm	60mm	60mm	60mm	60mm	64mm	64mm	64mm	64mm	64mm	64mm	64mm	64mm
	D	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm
	E	35mm	35mm	35mm	81mm	81mm	81mm	81mm	105mm	105mm	105mm	105mm	144mm	144mm	144mm	144mm	144mm	144mm	144mm	144mm
	F	94mm	94mm	94mm	92mm	92mm	92mm	92mm	92mm	92mm	92mm	92mm	88mm	88mm	88mm	88mm	88mm	88mm	88mm	88mm
	G	3mm	49mm	49mm	53mm	53mm	53mm	53mm	53mm	53mm	53mm	53mm	66mm	66mm	66mm	66mm	66mm	66mm	66mm	
	H	42mm	42mm	42mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	48mm	52mm	52mm	52mm	52mm	52mm	52mm	52mm	
重量		485 g	530 g	560 g	610 g	640 g	610 g	640 g	665 g	695 g	665 g	695 g	860 g	890 g	860 g	890 g	860 g	890 g	860 g	890 g
標準小売価格 (税込価格)		¥194,400	¥210,800	¥246,700	¥226,200	¥267,400	¥226,200	¥267,400	¥257,000	¥298,100	¥257,000	¥298,100	¥298,100	¥318,800	¥298,100	¥318,800	¥298,100	¥318,800	¥298,100	¥318,800

○印: 標準装備
 △印: オプション装備
 ×印: 装備不可

本書の内容については予告なく変更することがあります。